

Tin bronze

Replaces date: 10/1/2020

Revision date: 12/1/2022 Version: 1.1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name:

Tin bronze

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Casting

1.3. Details of the supplier of the safety data sheet

Supplier

| • • | |
|-----------|----------------------------|
| Company: | Boliden Bergsøe A/S |
| Address: | Hvissingevej 116 |
| Zip code: | 2600 |
| City: | Glostrup |
| Country: | DENMARK |
| E-mail: | metal.glostrup@boliden.com |
| Phone: | +45 43268300 |
| | |

1.4. Emergency Telephone Number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| CLP-classification: | Skin Sens. 1;H317 Carc. 2;H351 Repr. 1B;H360Df Lact.;H362 STOT RE 2;H373 |
|-------------------------------|--|
| Most serious harmful effects: | May cause an allergic skin reaction. Suspected of causing cancer. May damage the unborn child. Suspected of damaging fertility. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure. Prolonged exposure to welding smoke and particles constitutes a risk of developing asthmatic diseases, various respiratory disorders and cancer of the respiratory system. |
| | Harmful if vapours from molten metal are inhaled or if the skin comes in contact with molten metal. Prolonged or repeated exposure by skin contact or inhalation of vapours may cause damage to the central nervous system. |
| 2.2. Label elemente | |

2.2. Label elements

Hazard Statements

The specific provisions on labelling laid down in section 1.3 of Annex I of the CLP Regulation apply to this product.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made. No assessment required, as the product contains inorganic matter only.

Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients



Tin bronze

Replaces date: 10/1/2020

Revision date: 12/1/2022 Version: 1.1.0

3.2. Mixtures

| Substance | CAS No./ EC No./ REACH Reg. No. | Concentration | Notes | CLP-classification |
|---------------|--|---------------|-------|---|
| Copper | 7440-50-8 231-159-6 01-2119480154-42 | ≥ 75 % | | |
| Tin | 7440-31-5 231-141-8 01-2119486474-28 | 8 ≤ 25 % | | |
| Zinc | 7440-66-6 231-175-3 01-2119467174-37 | ≤ 5 % | | |
| Nickel | 7440-02-0 231-111-4 01-2119438727-29 | ≤ 4 % | | Skin Sens. 1;H317 Carc. 2;H351 STOT RE 1;H372 |
| Lead, massive | 7439-92-1 231-100-4 01-2119513221-59 | ≤ 3 % | 14 | Repr. 1B;H360Df Lact.;H362 |
| Phosphorus | 7723-14-0 918-594-3 01-2119489913-23 | ≤ 1 % | | |
| Iron | 7439-89-6 231-096-4 01-2119462838-24 | ≤ 0.5 % | | |
| Sulfur | 7704-34-9 231-722-6 01-2119487295-27 | ≤ 0.5 % | | Skin Irrit. 2;H315 |
| Antimony | 7440-36-0 231-146-5 01-2119475609-24 | ≤ 0.5 % | | |
| Manganese | 7439-96-5 231-105-1 01-2119449803-34 | ≤ 0.2 % | | |

Please see section 16 for the full text of H- / EUH-phrases.

14 = The substance is included in the candidate list (SVHC), Regulation 1907/2006/EC, Article 59.

SECTION 4: First aid measures

| 4.1. Description of first aid measures | | | |
|--|---|--|--|
| Inhalation: | Seek fresh air. Seek medical advice in case of persistent discomfort. | | |
| Ingestion: | Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort. | | |
| Skin contact: | Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in case of persistent discomfort. | | |
| Eye contact: | Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist. | | |
| General: | When obtaining medical advice, show the safety data sheet or label. | | |
| 4.2. Most important | symptoms and effects, both acute and delayed | | |



Tin bronze

Replaces date: 10/1/2020

Revision date: 12/1/2022 Version: 1.1.0

May damage the unborn child. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure. Harmful if vapours from molten metal are inhaled or if the skin comes in contact with molten metal. Prolonged or repeated exposure by skin contact or inhalation of vapours may cause damage to the central nervous system. Prolonged exposure to welding smoke and particles constitutes a risk of developing asthmatic diseases, various respiratory disorders and cancer of the respiratory system.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

 Suitable extinguishing media:
 The product is not directly flammable. Choose extinguishing agents based on the surrounding fire.

 Unsuitable extinguishing media:
 Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes - seek fresh air.

5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear safety goggles if there is a risk of eye splash. In case of insufficient ventilation, wear respiratory protective equipment. Wear gloves. Stay upwind/keep distance from source.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Work under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk when breastfeeding.



Tin bronze

Replaces date: 10/1/2020

Revision date: 12/1/2022 Version: 1.1.0

7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Store in a cool, dry place. Store locked up. Do not store with the following: Strong oxidisers/ Acids/ Alkalis.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Occupational | exposure limit | | | | | |
|-----------------------------------|--|---|---------|-----------------------|---------------------------------------|----------|
| Substance name | Time period | ppm | mg/m³ | fiber/cm3 | Remarks | Notation |
| Lead, massive | 8h | | 0.15 | | Inorganic Pb and its substances | |
| Manganese | 8h | | 0.2 | | Mn as inhalable fraction | |
| Manganese | 8h | 0.05 Mn as respirable fraction | | | | |
| Measuring met | easuring methods: Compliance with the stated occupational exposure limits may be checked by occupation hygiene measurements. | | | ecked by occupational | | |
| Legal basis: | | Commission Directive 2000/39/EC (Occupational Exposure Limits) as subsequently amended. Last amended by Commission Directive 2019/1831/EU. Directive 2004/37/EC (Exposure to carcinogens or mutagens at work) as subsequently amended. Last amended by Directive 2022/431/EU. | | | Directive 2004/37/EC | |
| 8.2. Exposure | controls | | | | | |
| Appropriate en controls: | gineering | Wear the personal protective equipment specified below. | | | | |
| Personal prote eye/face protec | | t, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 166. | | | nust conform to EN | |
| Personal protection | | Wear protective gloves which protect against contact and splashing from molten metal. Gloves must conform to EN 12477. | | | from molten metal. | |
| Personal prote respiratory pro | | t, In case of heating/use of the product in an area with inadequate ventilation, wear respiratory protection with filter B/P3. Respiratory protection must conform to one of the following standards: EN 136/140/145. | | | | |
| Environmental controls: | exposure | Ensure compliance with local regulations for emissions. | | | | |
| SECTION 9 | Physical and | chemical pro | nerties | | | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Parameter | Value/unit |
|------------|-----------------|
| State | Solid substance |
| Colour | No data |
| Odour | No data |
| Solubility | Insoluble |



Tin bronze

Replaces date: 10/1/2020

Revision date: 12/1/2022 Version: 1.1.0

| Parameter | Value/unit | Remarks |
|---|--------------|----------------|
| Odour threshold | No data | |
| Melting point | 930 - 980 °C | |
| Freezing point | No data | |
| Initial boiling point and boiling range | No data | |
| Flammability (solid, gas) | | Not flammable. |
| Flammability limits | No data | |
| Explosion limits | No data | |
| Flash Point | No data | |
| Auto-ignition temperature | No data | |
| Decomposition temperature | No data | |
| pH (solution for use) | No data | |
| pH (concentrate) | No data | |
| Kinematic viscosity | No data | |
| Viscosity | No data | |
| Partition coefficient n-octonol/water | No data | |
| Vapour pressure | No data | |
| Density | No data | |
| Relative density | 8 - 8.5 | |
| Vapour density | No data | |
| Relative density (sat. air) | No data | |
| Particle characteristics | No data | |

9.2. Other information

Other Information:

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts with the following: Strong oxidisers/ Acids/ Alkalis.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong oxidisers/ Acids/ Alkalis.

10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Metal oxides.

SECTION 11: Toxicological information



Replaces date: 10/1/2020

Safety Data Sheet

Tin bronze

Revision date: 12/1/2022 Version: 1.1.0

| 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 | | | |
|--|--|--|--|
| Acute toxicity - oral: | Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. | | |
| Acute toxicity - dermal: | The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. | | |
| Acute toxicity - inhalation: | The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. The product does not release hazardous vapours in metallic form. Metallic oxides which are hazardous to inhale are formed during soldering/welding. | | |
| Skin corrosion/irritation: | May cause slight irritation. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. | | |
| Serious eye damage/eye irritation: | May cause eye irritation. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met. | | |
| Respiratory sensitisation or skin sensitisation: | May cause sensitisation by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing. | | |
| Germ cell mutagenicity: | The product does not have to be classified. Test data are not available. | | |
| Carcinogenic properties: | Suspected of causing cancer. | | |
| Reproductive toxicity: | May damage the unborn child. Suspected of damaging fertility. | | |
| Single STOT exposure: | The product does not have to be classified. Test data are not available. Inhalation of smoke from the soldering / welding process may cause irritation to the upper airways. May cause a burning sensation in the nose, mouth and throat, as well as headaches, coughing and discomfort. | | |
| Repeated STOT exposure: | May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may cause water in the lungs. Prolonged or repeated exposure by skin contact or inhalation of vapours may cause damage to the central nervous system. Prolonged exposure to welding smoke and particles constitutes a risk of developing asthmatic diseases, various respiratory disorders and cancer of the respiratory system. | | |
| Aspiration hazard: | The product does not have to be classified. Test data are not available. | | |
| 11.2. Information on other hazards | | | |
| Endocrine disrupting properties: | None known. | | |
| Other toxicological effects: | None known. | | |

SECTION 12: Ecological information

12.1. Toxicity

The product does not have to be classified. Test data are not available.

12.2. Persistence and degradability

The concept of biodegradability is not relevant, as the substance is inorganic.



Tin bronze

Replaces date: 10/1/2020

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment required, as the product contains inorganic matter only.

12.6. Endocrine disrupting properties

None known.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water.

If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site. Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Category of waste: EWC code: Depends on line of business and use, for instance 06 04 05* wastes containing other heavy metals

SECTION 14: Transport information

14.1. UN number or ID number:Not applicable.14.2. UN proper shipping
name:Not applicable.14.3. Transport hazard
class(es):Not applicable.

14.4. Packing group: 14.5. Environmental hazards: Not applicable. Not applicable.

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions:Regulation (EU) of the European Parliament and of the Council concerning the export and
import of hazardous chemicals.
Special care should be applied for employees under the age of 18. Young people under the
age of 18 may not carry out any work causing harmful exposure to this product.
The product is comprised by Regulation 1907/2006/EC, Annex XVII concerning restrictions.

Covered by:

Council Directive (EC) on the protection of young people at work.

Revision date: 12/1/2022 Version: 1.1.0



Tin bronze

Replaces date: 10/1/2020

Revision date: 12/1/2022 Version: 1.1.0

Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding.

15.2. Chemical Safety Assessment

| REACH Reg. No. | Substance name |
|------------------|----------------|
| 01-2119438727-29 | Nickel |
| 01-2119449803-34 | Manganese |
| 01-2119462838-24 | Iron |
| 01-2119467174-37 | Zinc |
| 01-2119475609-24 | Antimony |
| 01-2119480154-42 | Copper |
| 01-2119486474-28 | Tin |
| 01-2119487295-27 | Sulfur |
| 01-2119489913-23 | Phosphorus |
| 01-2119513221-59 | Lead, massive |
| | · · |

SECTION 16: Other information

Version history and indication of changes

| Version | Revision date | Responsible | Changes | |
|------------------------------|--|--------------------------|----------------------|--|
| 1.1.0 | 12/1/2022 | Bureau Veritas HSE / MPE | 1, 2, 11, 12, 15, 16 | |
| Abbreviations: | STOT: Specific Target Organ Toxicity PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative | | | |
| Other Information: | This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed. | | | |
| Training advice: | A thorough knowledge of this safety data sheet should be a prerequisite condition. | | | |
| Classification method: | Calculation based on the hazards of the known components. | | | |
| List of relevant H-statement | nts | | | |
| H315 | Causes skin irritation. | | | |
| H317 | May cause an allergic skin reaction. | | | |
| H351 | Suspected of causing cancer. | | | |
| H360Df | May damage the unborn child. Suspected of damaging fertility. | | | |
| H362 | May cause harm to breast-fed children. | | | |
| H372 | Causes damage to organs through prolonged or repeated exposure. | | | |
| H373 | May cause damage to organs through prolonged or repeated exposure. | | | |
| SDS is prepared by | | | | |
| Company: | Bureau Veritas HSE Denmark A/S | | | |
| Address: | Oldenborggade 25-31 | | | |
| Zip code: | 7000 | | | |
| City: | Fredericia | | | |
| | | | | |



Tin bronze

Replaces date: 10/1/2020

Country: E-mail: Phone: Homepage: DENMARK infohse@bureauveritas.com +45 77 31 10 00 www.bureauveritas.dk

Country:

ΕU

Revision date: 12/1/2022 Version: 1.1.0