

# **Aluminium bronze**

Replaces date: 10/1/2020

Revision date: 12/1/2022

Version: 1.1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Aluminium bronze

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Casting

## 1.3. Details of the supplier of the safety data sheet

Supplier

Company: Boliden Bergsøe A/S Address: Hvissingevej 116

Zip code: 2600
City: Glostrup
Country: DENMARK

E-mail: metal.glostrup@boliden.com

Phone: +45 43268300

### 1.4. Emergency Telephone Number

# SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

CLP-classification: Skin Sens. 1;H317

Carc. 2;H351 STOT RE 1;H372

Most serious harmful effects: May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to

organs through prolonged or repeated exposure.

Prolonged exposure to welding smoke and particles constitutes a risk of developing asthmatic diseases, various respiratory disorders and cancer of the respiratory system. Harmful if vapours from molten metal are inhaled or if the skin comes in contact with molten metal. Prolonged or repeated exposure by skin contact or inhalation of vapours may cause

damage to the central nervous system.

### 2.2. Label elements

#### **Hazard Statements**

The specific provisions on labelling laid down in section 1.3 of Annex I of the CLP Regulation apply to this product.

## 2.3. Other hazards

Assessment to determine PBT and vPvB has not been made. No assessment required, as the product contains inorganic matter only.

Endocrine disrupting properties: None known.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
-----------	------------------------------------	---------------	-------	--------------------



# **Aluminium bronze**

Replaces date: 10/1/2020 Revision date: 12/1/2022

Version: 1.1.0

				version: 1.1.0
Copper	7440-50-8 231-159-6 01-2119480154-42	≥ 65 %		
Manganese	7439-96-5 231-105-1 01-2119449803-34	≤ 20 %		
Aluminum	7429-90-5 231-072-3 01-2119529243-45	6 ≤ 15.5 %		
Iron	7439-89-6 231-096-4 01-2119462838-24	≤ 12 %		
Nickel	7440-02-0 231-111-4 01-2119438727-29	≤ 10 %		Skin Sens. 1;H317 Carc. 2;H351 STOT RE 1;H372
Zinc	7440-66-6 231-175-3 01-2119467174-37	≤ 5 %		
Tin	7440-31-5 231-141-8 01-2119486474-28	≤ 1 %		
Silicon, containing more than 99.99 per cent by weight of silicon	7440-21-3 231-130-8 01-2119480401-47	≤ 0.2 %		
Cobalt	7440-48-4 231-158-0 01-2119517392-44	≤ 0.1 %		Skin Sens. 1;H317 Resp. Sens. 1;H334 Aquatic Chronic 4;H413
Chromium	7440-47-3 231-157-5 01-2119485652-31	≤ 0.1 %		
Lead, massive	7439-92-1 231-100-4 01-2119513221-59	≤ 0.03 %	14	Repr. 1B;H360Df Lact.;H362

### Please see section 16 for the full text of H- / EUH-phrases.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

Inhalation: Seek fresh air. Seek medical advice in case of persistent discomfort.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

General: When obtaining medical advice, show the safety data sheet or label.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes damage to organs through prolonged or repeated exposure. Harmful if vapours from molten metal are inhaled or if the skin comes in contact with molten metal. Prolonged or repeated exposure by skin contact or inhalation of vapours may cause damage to the central nervous system. Prolonged exposure to welding smoke and particles constitutes a risk of developing asthmatic diseases, various respiratory disorders and cancer of the respiratory system.

<sup>14 =</sup> The substance is included in the candidate list (SVHC), Regulation 1907/2006/EC, Article 59.



### Aluminium bronze

Replaces date: 10/1/2020

Revision date: 12/1/2022

Version: 1.1.0

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: The product is not directly flammable. Choose extinguishing agents based on the

surrounding fire.

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

## 5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes - seek fresh air.

## 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear safety goggles if there is a risk of eye splash. In case of insufficient ventilation, wear

respiratory protective equipment. Wear gloves. Stay upwind/keep distance from source.

For emergency responders: In addition to the above: Protective suit equivalent to EN 368, type 3, is recommended.

# 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

### 6.3. Methods and material for containment and cleaning up

Sweep up/collect spills for possible reuse or transfer to suitable waste containers.

## 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

### SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Work under effective process ventilation (e.g. local exhaust ventilation). Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk when breastfeeding.

## 7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Store in a cool, dry place. Do not store with the following: Strong oxidisers/ Acids/ Alkalis.

### 7.3. Specific end use(s)



# **Aluminium bronze**

Replaces date: 10/1/2020 Revision date: 12/1/2022

Version: 1.1.0

None.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Notation
Manganese	8h		0.2		Mn as inhalable fraction	
Manganese	8h		0.05		Mn as respirable fraction	
Lead, massive	8h		0.15		Inorganic Pb and its substances	

Measuring methods: Compliance with the stated occupational exposure limits may be checked by occupational

hygiene measurements.

Legal basis: Commission Directive 2000/39/EC (Occupational Exposure Limits) as subsequently

amended. Last amended by Commission Directive 2019/1831/EU. Directive 2004/37/EC (Exposure to carcinogens or mutagens at work) as subsequently amended. Last amended

by Directive 2022/431/EU.

8.2. Exposure controls

Appropriate engineering

controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

hand protection:

Personal protective equipment. Wear protective gloves which protect against contact and splashing from molten metal.

Gloves must conform to EN 12477.

respiratory protection:

Personal protective equipment, In case of heating/use of the product in an area with inadequate ventilation, wear respiratory protection with filter B/P3. Respiratory protection must conform to one of the

following standards: EN 136/140/145.

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Solid substance
Colour	No data
Odour	No data
Solubility	Insoluble

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	930 - 980 °C	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)		Not flammable.



# **Aluminium bronze**

Replaces date: 10/1/2020 Revision date: 12/1/2022

Version: 1.1.0

Flammability limits	No data	
Explosion limits	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octonol/water	No data	
Vapour pressure	No data	
Density	No data	
Relative density	8 - 8.5	
Vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

#### 9.2. Other information

Other Information: None.

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reacts with the following: Strong oxidisers/ Acids/ Alkalis.

# 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

## 10.3. Possibility of hazardous reactions

None known.

## 10.4. Conditions to avoid

None known.

# 10.5. Incompatible materials

Strong oxidisers/ Acids/ Alkalis.

## 10.6. Hazardous decomposition products

The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Metal oxides.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - oral: Ingestion may cause discomfort. The product does not have to be classified. Based on

existing data, the classification criteria are deemed not to have been met.

Acute toxicity - dermal: The product does not have to be classified. Based on existing data, the classification

criteria are deemed not to have been met.



## **Aluminium bronze**

Replaces date: 10/1/2020 Revision date: 12/1/2022

Version: 1.1.0

**Acute toxicity - inhalation:** The product does not have to be classified. Based on existing data, the classification

criteria are deemed not to have been met. The product does not release hazardous vapours in metallic form. Metallic oxides which are hazardous to inhale are formed during

soldering/welding.

**Skin corrosion/irritation:** May cause slight irritation. The product does not have to be classified. Based on existing

data, the classification criteria are deemed not to have been met.

Serious eye damage/eye

irritation:

May cause eye irritation. The product does not have to be classified. Based on existing

data, the classification criteria are deemed not to have been met.

Respiratory sensitisation or

skin sensitisation:

May cause sensitisation by inhalation and skin contact. Symptoms include cold, sneezing, breathing difficulties and hives. Reddening, swelling, blistering and ulceration may develop

on the skin - often slowly.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** Suspected of causing cancer.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

**Single STOT exposure:** The product does not have to be classified. Test data are not available. Inhalation of smoke

from the soldering / welding process may cause irritation to the upper airways. May cause a burning sensation in the nose, mouth and throat, as well as headaches, coughing and

discomfort.

Repeated STOT exposure: Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation

may cause water in the lungs. Prolonged or repeated exposure by skin contact or inhalation of vapours may cause damage to the central nervous system. Prolonged exposure to welding smoke and particles constitutes a risk of developing asthmatic diseases, various respiratory disorders and cancer of the respiratory system.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: None known.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product does not have to be classified. Test data are not available.

## 12.2. Persistence and degradability

The concept of biodegradability is not relevant, as the substance is inorganic.

## 12.3. Bioaccumulative potential

Test data are not available.

# 12.4. Mobility in soil

Test data are not available.



# **Aluminium bronze**

Replaces date: 10/1/2020 Revision date: 12/1/2022

Version: 1.1.0

### 12.5. Results of PBT and vPvB assessment

No assessment required, as the product contains inorganic matter only.

### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Avoid discharge to drain or surface water.

If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Category of waste: EWC code: Depends on line of business and use, for instance 06 04 05\* wastes containing

hazards:

other heavy metals

## **SECTION 14: Transport information**

14.1. UN number or ID number: Not applicable. 14.4. Packing group: Not applicable. 14.2. UN proper shipping Not applicable. 14.5. Environmental Not applicable.

name:

14.3. Transport hazard class(es):

Not applicable.

14.6. Special precautions for user

None

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** Regulation (EU) of the European Parliament and of the Council concerning the export and

import of hazardous chemicals.

Special care should be applied for employees under the age of 18. Young people under the

age of 18 may not carry out any work causing harmful exposure to this product.

The product is comprised by Regulation 1907/2006/EC, Annex XVII concerning restrictions.

Covered by:

Council Directive (EC) on the protection of young people at work.

Council Directive (EC) on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or

are breastfeeding.

## 15.2. Chemical Safety Assessment



# **Aluminium bronze**

Replaces date: 10/1/2020

Revision date: 12/1/2022

Version: 1.1.0

REACH Reg. No.	Substance name
01-2119438727-29	Nickel
01-2119449803-34	Manganese
01-2119462838-24	Iron
01-2119467174-37	Zinc
01-2119480154-42	Copper
01-2119480401-47	Silicon, containing more than 99.99 per cent by weight of silicon
01-2119485652-31	Chromium
01-2119486474-28	Tin
01-2119513221-59	Lead, massive
01-2119517392-44	Cobalt
01-2119529243-45	Aluminum

## **SECTION 16: Other information**

## Version history and indication of changes

Version	Revision date	Responsible	Changes
1.1.0	10/1/2020	Bureau Veritas HSE / MPE	1, 2, 16

Abbreviations: STOT: Specific Target Organ Toxicity

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

## List of relevant H-statements

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H351 Suspected of causing cancer.

H360Df May damage the unborn child. Suspected of damaging fertility.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs through prolonged or repeated exposure.

H413 May cause long lasting harmful effects to aquatic life.

# SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

E-mail: infohse@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk



# **Aluminium bronze**

Replaces date: 10/1/2020 Revision date: 12/1/2022

Version: 1.1.0

Country: EU